



Sprinter

Technical Information

Mercedes-Benz



Index

4

9

14

19

25

30

35

40

45

51

56

Sorry, exit only



Sprinter Special Models

61

66

71

76

81



This brochure is interactive, click on any of the Sprinter Panel Van Vehicles for the specific models information.

Sprinter Panel Van Base

311 CDI Standard RWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Base 311 CDI Standard

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Base 311 CDI Standard
Drive:	RWD
Engine Power (kwh):	84 kW (114 PS)
WheelBase:	3665 mm
Gross Vehicle Weight:	3550 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z2K	BASE
-----	------

Upholstery

VF6	ARTICO man-made leather, black
-----	--------------------------------

Rims

RS3	Steel wheels 6.5 J x 16
-----	-------------------------

Tyres

RH2	Tyres 235/65 R16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RD8	Full wheel cover
RM7	Summer tyres

Engines, transmission and drive system

M15	Fuel/water separator and lubrication package
MU1	Engine OM 654 DE 20 LA 84 kW (114 hp)
GD8	6-speed ECO Gear manual transmission
A50	Front axle with upgraded axle load
AR3	Axle ratio i = 4,182
CW2	Deletion, vehicle lowering

Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
XG4	Weight variant 3.550 kg
MD5	Linear speed limiter 100 km/h EG
K13	Main tank 71 litres
M60	Alternator 14 V / 250 A
MS3	Engine version Euro III

Exterior

T19	Sliding door left
Q11	Longitudinal member reinforcement
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
D50	Full-length partition
JK5	Instrument cluster with colour display
T01	l.c.s.d.for BB conversion pass. behind B-pillar
T77	Grab handle,at load comp.sliding door on partition

Infotainment

ER0	Basic fittings f. radio
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz emergency call system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
L10	Illumination for traffic driving on left
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph

Y43	Hydraulic Jack
-----	----------------

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XX4*	Change year G4-I IG5 Basic
IG5	Basic
X42	Plates / booklets english
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	3665 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1269 kg
Rear axle (empty)	874 kg
Kerb weight (incl. SA)	2143 kg

Maximum permissible weight:

Front axle	1860 kg
Rear axle	2250 kg
Payload	1407 kg
Gross vehicle weight	3550 kg
Gross combination weight	5550 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU1
Displacement	1950 cm3
Engine output	84 kW / 114 PS
Power/engine torque in Nm at 1400 rpm	300 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.

Sprinter Panel Van Pro

311 CDI Standard RWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Pro 311 CDI Standard

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Pro 311 CDI Standard
Drive:	RWD
Engine Power (kwh)	84 kW (114 PS)
Wheelbase:	3665 mm
Gross Vehicle Weight:	3550 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z3K	PRO
-----	-----

Upholstery

VF6	ARTICO man-made leather, black
-----	--------------------------------

Rims

RS3	Steel wheels 6.5 J x 16
-----	-------------------------

Tyres

RH2	Tyres 235/65 R16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RD8	Full wheel cover
RM7	Summer tyres

Engines, transmission and drive system

M15	Fuel/water separator and lubrication package
MU1	Engine OM 654 DE 20 LA 84 kW (114 hp)
GD8	6-speed ECO Gear manual transmission
A50	Front axle with upgraded axle load
AR3	Axle ratio i = 4,182
CW2	Deletion, vehicle lowering

Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
XG4	Weight variant 3.550 kg
MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
M60	Alternator 14 V / 250 A
MS3	Engine version Euro III

Exterior

H21	Heat-insulating glass w.band filter on windscreen
T01	l. c.s.d.for BB conversion pass. behind B-pillar
T19	Sliding door left
Q11	Longitudinal member reinforcement
Q67	Towing eye rear
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
HH9	Air con., semi-autom. controlled, TEMPMATIC
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
CL1	Height and rake adjustable steering wheel
D50	Full-length partition
JK5	Instrument cluster with colour display
T75	Grab handles for driver's and co-driver's doors

T77	Grab handle,at load comp. sliding door on partition
T85	Entrance handle on LH rear corner pillar

Infotainment

E10	Mercedes-Benz Audio system
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
L10	Illumination for traffic driving on left
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit

Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XJ4 *	Change year G4-l
IG5	Basic
X42	Plates / booklets english
XZ1	Model generation 1
Z07	National version for South Africa
Z1N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	3665 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1292 kg
Rear axle (empty)	894 kg
Kerb weight (incl. SA)	2186kg

Maximum permissible weight:

Front axle	1860 kg
Rear axle	2250 kg
Payload	1364 kg
Gross vehicle weight	3550 kg
Gross combination weight	5550 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU1
Displacement	1950 cm3
Engine output	84 kW / 114 PS
Power/engine torque in Nm at 1400 rpm	300 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.

Sprinter Panel Van Pro

311 CDI Standard RWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Pro 311 CDI Standard

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Pro 311 CDI Standard 3.49t
Drive:	RWD
Engine Power (kwh)	84 kW (114 PS)
Wheelbase:	3665 mm
Gross Vehicle Weight:	3490 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z3K	PRO
-----	-----

Upholstery

VF6	ARTICO man-made leather, black
-----	--------------------------------

Rims

RS3	Steel wheels 6.5 J x 16
-----	-------------------------

Tyres

RH2	Tyres 235/65 R16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RD8	Full wheel cover
RM7	Summer tyres

Engines, transmission and drive system

M15	Fuel/water separator and lubrication package
MU1	Engine OM 654 DE 20 LA 84 kW (114 hp)
GD8	6-speed ECO Gear manual transmission
A50	Front axle with upgraded axle load
AR3	Axle ratio i = 4,182
CW2	Deletion, vehicle lowering

Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
X19	Weight variant 3.490 kg
M94	Vehicle without road speed limiter EG
KB7	Main tank, 93 litres
M60	Alternator 14 V / 250 A
MS3	Engine version Euro III

Exterior

H21	Heat-insulating glass w.band filter on windscreen
T01	l. c.s.d.for BB conversion pass. behind B-pillar
T19	Sliding door left
Q11	Longitudinal member reinforcement
Q67	Towing eye rear
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
HH9	Air con., semi-autom. controlled, TEMPMATIC
V42	Sidewall tie-down rails on waist rail
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
CL1	Height and rake adjustable steering wheel
D50	Full-length partition
JK5	Instrument cluster with colour display

T75	Grab handles for driver's and co-driver's doors
T77	Grab handle, at load comp. sliding door on partition
T85	Entrance handle on LH rear corner pillar

Infotainment

E10	Mercedes-Benz Audio system
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
L10	Illumination for traffic driving on left
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver

Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XJ4 *	Change year G4-I
IG5	Basic
X42	Plates / booklets english
XZ1	Model generation 1
Z07	National version for South Africa
Z1N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	3665 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1293 kg
Rear axle (empty)	897 kg
Kerb weight (incl. SA)	2190 kg

Maximum permissible weight:

Front axle	1860 kg
Rear axle	2250 kg
Payload	1300 kg
Gross vehicle weight	3490 kg
Gross combination weight	5490 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU1
Displacement	1950 cm3
Engine output	84 kW / 114 PS
Power/engine torque in Nm at 1400 rpm	300 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$



Dimensions are subject to a tolerance of $\pm 3\%$.



Sprinter Panel Van Select

317 CDI Long RWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Select 317 CDI Long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Select 317 CDI Long MH
Drive:	RWD
Engine Power (kwh)	125 kW (170 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	3550 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z4K	SELECT
-----	--------

Packages

XM4	Acoustic package
-----	------------------

Upholstery

VF6	ARTICO man-made leather, black
-----	--------------------------------

Rims

RS3	Steel wheels 6.5 J x 16
-----	-------------------------

Tyres

RH2	Tyres 235/65 R16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RD8	Full wheel cover
RM7	Summer tyres
RY2	Tyre pressure monitoring front/rear, wireless

Engines, transmission and drive system

MU5	Engine OM 654 DE 20 LA 125 kW (170 hp)
-----	--

G43	9G-TRONIC
A50	Front axle with upgraded axle load
AR2	Axle ratio i = 3,923
BH1	HOLD function
CB4	Stabilisation level III
CW2	Deletion, vehicle lowering
Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
XG4	Weight variant 3.550 kg
MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI

Exterior

D03	High roof
H21	Heat-insulating glass w.band filter on windscreen
T19	Sliding door left
Q11	Longitudinal member reinforcement
Q67	Towing eye rear
CN2	Radiator grille frame in vehicle colour
FK3	Chrome-plated radiator grille
P47	Front mud flaps
P48	Rear mud flaps

Interior

S22	Armrest for driver's seat
S25	Armrest for co-driver's seat
S87	Driver's seat frame, low
S88	Co-driver's seat frame, low
SB1	Comfort driver's seat
SB2	Comfort co-driver's seat
SR8	Swivel base for driver' seat
SR9	Swivel base for co-driver' seat
HH2	Electrically powered hot-air auxiliary heater
HH9	Air con., semi-autom. controlled, TEMPMATIC
FF5	Shelf above windscreen
FG8	Cup holders front
FJ1	Hinged lid for stowage compartment
FJ4	Stowage compartment underneath cockpit
FJ5	Hinged lid for stowage compartments left and right
CL1	Height and rake adjustable steering wheel
CL3	Leather steering wheel
D93	Omission partition
F61	Rear mirror inside
JK5	Instrument cluster with colour display
LC4	Comfort overhead control panel
SE5	Lumbar support, driver's seat
T01	l.c.s.d.for BB conversion pass. behind B-pillar
T75	Grab handles for driver's and co-driver's doors
T85	Entrance handle on LH rear corner pillar
V93	Omission wooden floor
V94	Cable duct on side wall
V95	Cable duct on rear portal

Infotainment

E7B	Pre-installation for navigation
E7M	MBUX multimedia system
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

B25	Electrical parking brake
BA3	Active Brake Assist
F64	Electrically foldable exterior mirrors
F68	Exterior mirror heated and electr. adjustable
FU5	Exterior mirrors without indicators
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA7	Blind Spot Assist
JA8	Crosswind Assist
JB4	Active Lane Keeping Assist
JF1	Rain sensor
JW8	ATTENTION ASSIST
L10	Illumination for traffic driving on left
L13	Fog lamps with cornering light function
L22	Partial LED tail lights
L44	Flashing lights, front left
L65	Interior light(s), load/pass. comp. wi. door cont.

L94	Omission parking lamp
LA1	Highbeam Assist
LA2	Headlight assistant
LB1	Side marker lights
LB5	3rd brake light
LE1	Adaptive brake light
LG7	LED High Performance headlamps
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
SK0	Convenience head restraint, driver's seat
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
FR8	Reversing camera
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MJ8	ECO start/stop function
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XX4 *	Change year G4-I
IG5	Basic
X42	Plates / booklets english
XO2	Special approval for use of high-grade fuel
XO5	Digital Owner's Manual
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1387 kg

Rear axle (empty)	1053 kg
Kerb weight (incl. SA)	2440 kg

Maximum permissible weight:

Front axle	1860 kg
Rear axle	2250 kg
Payload	1110 kg
Gross vehicle weight	3550 kg
Gross combination weight	5550 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU5
Displacement	1950 cm ³
Engine output	125 kW / 170 PS
Power/engine torque in Nm at 1400 rpm	400 Nm

Gearbox

Code	G43
Short text	9G-TRONIC

Technical Data


Technical illustration




Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.

Sprinter Panel Van Base

517 CDI Long RWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Base 517 CDI Long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Base 517 CDI Long
Drive:	RWD
Engine Power (kwh)	125 kW (170 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	5000 kg
Steering:	Right

Equipment list

Paint

MB 9147: Arctic white

Lines, packages and variants:

Z2K BASE

Upholstery

VF6 ARTICO man-made leather, black

Rims

RS6 Steel wheels 5.5 J x 16

Tyres

RG3 Tyres 205/75 R 16 C

RD9 Tyres without name of make

R65 Spare wheel bracket below frame end

R87 Spare wheel

RM7 Summer tyres

Engines, transmission and drive system

MU5 Engine OM 654 DE 20 LA 125 kW (170 hp)

GD8 6-speed ECO Gear manual transmission

A50 Front axle with upgraded axle load

AR5 Axle ratio $i = 4,727$

CB7 Stabilisation level I

Z1U Body-in-white measures for ECE rollover test

Z74 Bodyshell, additional measures 2

X5G	Without load uprating/derating 5000 kg
MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)

Exterior

D03	High roof
H21	Heat-insulating glass w.band filter on windscreen
T19	Sliding door left
Q11	Longitudinal member reinforcement
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
D50	Full-length partition
JK5	Instrument cluster with colour display
T01	l.c.s.d.for BB conversion pass. behind B-pillar
T77	Grab handle,at load comp.sliding door on partition

Infotainment

ER0	Basic fittings f. radio
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz emergency call system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
L10	Illumination for traffic driving on left
L21	Reversing light, bottom
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant
LB1	Side marker lights
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel

E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MJ8	ECO start/stop function
Y26	Chock
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XJ4*	Change year G4-I
IG5	Basic
X42	Plates / booklets english
XO2	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1394 kg
Rear axle (empty)	1224 kg
Kerb weight (incl. SA)	2618 kg

Maximum permissible weight:

Front axle	2000 kg
Rear axle	3500 kg
Payload	2382 kg
Gross vehicle weight	5000 kg
Gross combination weight	7000 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU5
Displacement	1950 cm3
Engine output	125 kW / 170 PS
Power/engine torque in Nm at 1400 rpm	380 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.

Sprinter Panel Van Pro

517 CDI Long RWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Pro 517 CDI Long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Pro 517 CDI Long
Drive:	RWD
Engine Power (kwh)	125 kW (170 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	5000 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z3K	PRO
-----	-----

Upholstery

VF6	ARTICO man-made leather, black
-----	--------------------------------

Rims

RS6	Steel wheels 5.5 J x 16
-----	-------------------------

Tyres

RG3	Tyres 205/75 R 16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RM7	Summer tyres

Engines, transmission and drive system

MU5	Engine OM 654 DE 20 LA 125 kW (170 hp)
GD8	6-speed ECO Gear manual transmission
A50	Front axle with upgraded axle load
AR5	Axle ratio i = 4,727 CB7
CB7	Stabilisation level I
Z1U	Body-in-white measures for ECE rollover test
Z74	Bodyshell, additional measures 2
X5G	Without load uprating/derating 5000 kg

MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)

Exterior

D03	High roof
H21	Heat-insulating glass w.band filter on windscreen
T19	Sliding door left
Q11	Longitudinal member reinforcement
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
HH9	Air con., semi-autom. controlled, TEMPMATIC
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
CL1	Height and rake adjustable steering wheel
D50	Full-length partition
JK5	Instrument cluster with colour display
T01	l.c.s.d.for BB conversion pass. behind B-pillar
T75	Grab handles for driver's and co-driver's doors
T77	Grab handle,at load comp.sliding door on partition
T85	Entrance handle on LH rear corner pillar

Infotainment

E10	Mercedes-Benz Audio system
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
JY9	Omission of Lane Keeping Assist
L10	Illumination for traffic driving on left
L21	Reversing light, bottom
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant
LB1	Side marker lights
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit

Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MJ8	ECO start/stop function
Y26	Chock
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XJ4*	Change year G4-I
IG5	Basic
X42	Plates / booklets english
XO2	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa

Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1417 kg
Rear axle (empty)	1222 kg
Kerb weight (incl. SA)	2639 kg

Maximum permissible weight:

Front axle	2000 kg
Rear axle	3500 kg
Payload	2361 kg
Gross vehicle weight	5000 kg
Gross combination weight	7000 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU5
------	-----

Displacement	1950 cm3
Engine output	125 kW / 170 PS
Power/engine torque in Nm at 1400 rpm	380 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.

Sprinter Panel Van Pro

517 CDI Extra Long RWD



Sprinter Panel Van Pro 517 CDI Extra Long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Pro 517 CDI Extra Long
Drive:	RWD
Engine Power (kwh)	125 kW (170 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	5000 kg
Steering:	Right

This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z3K	PRO
-----	-----

Upholstery

VF6	ARTICO man-made leather, black
-----	--------------------------------

Rims

RS6	Steel wheels 5.5 J x 16
-----	-------------------------

Tyres

RG3	Tyres 205/75 R 16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RM7	Summer tyres

Engines, transmission and drive system

MU5	Engine OM 654 DE 20 LA 125 kW (170 hp)
GD8	6-speed ECO Gear manual transmission
A50	Front axle with upgraded axle load
AR5	Axle ratio i = 4,727
CB7	Stabilisation level I
Z1U	Body-in-white measures for ECE rollover test

Z74	Bodysell, additional measures 2
X5G	Without load uprating/derating 5000 kg
MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)

Exterior

D03	High roof
H21	Heat-insulating glass w.band filter on windscreen
T19	Sliding door left
W54	Rear doors, double-wing, opening to side wall
Q11	Longitudinal member reinforcement
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
HH9	Air con., semi-autom. controlled, TEMPMATIC
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
CL1	Height and rake adjustable steering wheel
D50	Full-length partition

JK5	Instrument cluster with colour display
T01	l.c.s.d.for BB conversion pass. behind B-pillar
T75	Grab handles for driver's and co-driver's doors
T77	Grab handle,at load comp.sliding door on partition
T85	Entrance handle on LH rear corner pillar

Infotainment

E10	Mercedes-Benz Audio system
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
JY9	Omission of Lane Keeping Assist
L10	Illumination for traffic driving on left
L21	Reversing light, bottom
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant
LB1	Side marker lights

LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MJ8	ECO start/stop function
Y26	Chock
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

805	CY X4/1
XJ4*	Change year G4-l

IG5	Basic
X42	Plates / booklets english
X02	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1381 kg
Rear axle (empty)	1295 kg
Kerb weight (incl. SA)	2676kg

Maximum permissible weight:

Front axle	2000 kg
Rear axle	3500 kg
Payload	2324 kg
Gross vehicle weight	5000 kg
Gross combination weight	7000 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU5
Displacement	1950 cm3
Engine output	125 kW / 170 PS
Power/engine torque in Nm at 1400 rpm	380 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.

Sprinter Panel Van Pro

519 CDI Extra Long RWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Pro 519 CDI Extra Long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Pro 519 CDI Extra Long
Drive:	RWD
Engine Power (kwh)	140 kW (190 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	5000 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z3K	PRO
-----	-----

Upholstery

VF6	ARTICO man-made leather, black
-----	--------------------------------

Rims

RS6	Steel wheels 5.5 J x 16
-----	-------------------------

Tyres

RG3	Tyres 205/75 R 16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RM7	Summer tyres

Engines, transmission and drive system

MU6	Engine OM 654 DE 20 LA 140 kW (190 hp)
GD9	6-speed ECO Gear High Torque manual transmission
A50	Front axle with upgraded axle load
AR3	Axle ratio i = 4,182
CB7	Stabilisation level I
Z1U	Body-in-white measures for ECE rollover test
Z74	Bodyshell, additional measures 2

X5G	Without load uprating/derating 5000 kg
MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)

Exterior

D03	High roof
H21	Heat-insulating glass w.band filter on windscreen
T19	Sliding door left
W54	Rear doors, double-wing, opening to side wall
Q11	Longitudinal member reinforcement
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
HH9	Air con., semi-autom. controlled, TEMPMATIC
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
CL1	Height and rake adjustable steering wheel
D50	Full-length partition
JK5	Instrument cluster with colour display
T01	l.c.s.d.for BB conversion pass. behind B-pillar

T75	Grab handles for driver's and co-driver's doors
T77	Grab handle, at load comp. sliding door on partition
T85	Entrance handle on LH rear corner pillar

Infotainment

E10	Mercedes-Benz Audio system
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
JY9	Omission of Lane Keeping Assist
L10	Illumination for traffic driving on left
L13	Fog lamps with cornering light function
L21	Reversing light, bottom
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant
LB1	Side marker lights
LB5	3rd brake light

LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MJ8	ECO start/stop function
Y26	Chock
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XJ4 *	Change year G4-l

IG5	Basic
X42	Plates / booklets english
X02	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1395 kg
Rear axle (empty)	1295 kg
Kerb weight (incl. SA)	2690 kg

Maximum permissible weight:

Front axle	2000 kg
Rear axle	3500 kg
Payload	2310 kg
Gross vehicle weight	5000 kg
Gross combination weight	7000 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU6
Displacement	1950 cm3
Engine output	140 kW / 190 PS
Power/engine torque in Nm at 1400 rpm	450 Nm

Gearbox

Code	GD9
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.

Sprinter Panel Van Select

319 CDI Standard AWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Select 319 CDI Standard

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Select 319 CDI Standard AWD
Drive:	AWD
Engine Power (kwh)	140 kW (190 PS)
Wheelbase:	3665 mm
Gross Vehicle Weight:	3550 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z4K	SELECT
-----	--------

Packages

ES5	Charging package, dashboard
XM4	Acoustic package

Upholstery

VF6	ARTICO man-made leather, black
-----	--------------------------------

Rims

RS3	Steel wheels 6.5 J x 16
-----	-------------------------

Tyres

RG8	Tyres 225/75 R16 C
RF1	Make of tyres Continental (10)
RM9	Make of tyres as optional extra
R65	Spare wheel bracket below frame end
R87	Spare wheel
RD8	Full wheel cover
RM7	Summer tyres
RY2	Tyre pressure monitoring front/rear, wireless

Engines, transmission and drive system

MU6	Engine OM 654 DE 20 LA 140 kW (190 hp)
G43	9G-TRONIC
A4M	4x4 all-wheel drive with torque-on-demand
AR2	Axle ratio i = 3,923
BH1	HOLD function
Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
XG4	Weight variant 3.550 kg
MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)

Exterior

D03	High roof
H21	Heat-insulating glass w.band filter on windscreen
T19	Sliding door left
Q11	Longitudinal member reinforcement
Q67	Towing eye rear
CN2	Radiator grille frame in vehicle colour
FK3	Chrome-plated radiator grille
P47	Front mud flaps
P48	Rear mud flaps

Interior

S22	Armrest for driver's seat
S25	Armrest for co-driver's seat
S87	Driver's seat frame, low
S88	Co-driver's seat frame, low
SB1	Comfort driver's seat
SB2	Comfort co-driver's seat
SR8	Swivel base for driver' seat
SR9	Swivel base for co-driver' seat
HH2	Electrically powered hot-air auxiliary heater
HH9	Air con., semi-autom. controlled, TEMPMATIC
FF5	Shelf above windscreen
FG8	Cup holders front
FJ1	Hinged lid for stowage compartment
FJ4	Stowage compartment underneath cockpit
FJ5	Hinged lid for stowage compartments left and right
CL1	Height and rake adjustable steering wheel
CL3	Leather steering wheel
D93	Omission partition
JK5	Instrument cluster with colour display
LC4	Comfort overhead control panel
SE5	Lumbar support, driver's seat
T75	Grab handles for driver's and co-driver's doors
T85	Entrance handle on LH rear corner pillar
V93	Omission wooden floor
V94	Cable duct on side wall
V95	Cable duct on rear portal

Infotainment

E7B	Pre-installation for navigation
E7M	MBUX multimedia system
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

B25	Electrical parking brake
BA3	Active Brake Assist
F64	Electrically foldable exterior mirrors
F68	Exterior mirror heated and electr. adjustable
FU5	Exterior mirrors without indicators
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA7	Blind Spot Assist
JA8	Crosswind Assist
JB4	Active Lane Keeping Assist
JF1	Rain sensor
JW8	ATTENTION ASSIST
L10	Illumination for traffic driving on left
L13	Fog lamps with cornering light function
L22	Partial LED tail lights
L44	Flashing lights, front left
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp

LA1	Highbeam Assist
LA2	Headlight assistant
LB5	3rd brake light
LE1	Adaptive brake light
LG7	LED High Performance headlamps
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
SK0	Convenience head restraint, driver's seat
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
FR8	Reversing camera
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MJ8	ECO start/stop function
Y43	Hydraulic Jack

High-voltage battery and charging	
ED4	heavy-duty battery

Control code

805	CY X4/1
XJ4*	Change year G4-I
IG5	Basic
X42	Plates / booklets english
X02	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	AWD
Wheelbase	3665 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1449 kg
Rear axle (empty)	976 kg
Kerb weight (incl. SA)	2425 kg

Maximum permissible weight:

Front axle	1860 kg
Rear axle	2250 kg

Payload	1125 kg
Gross vehicle weight	3550 kg
Gross combination weight	5550 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU6
Displacement	1950 cm3
Engine output	140 kW / 190 PS
Power/engine torque in Nm at 1400 rpm	450 Nm

Gearbox

Code	G43
Short text	G-TRONIC

Technical Data


Technical illustration




Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.

Sprinter Chassis Base

317 CDI Long RWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Chassis Base 317 CDI Long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Chassis Base 317 CDI Long
Drive:	RWD
Engine Power (kwh):	125 kW (170 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	3550 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z2K	BASE
-----	------

Packages

X96	Obligation: commissioning by BB
-----	---------------------------------

Upholstery

VF7	Fabric Maturin black
-----	----------------------

Rims

RS3	Steel wheels 6.5 J x 16
-----	-------------------------

Tyres

RH2	Tyres 235/65 R16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RD8	Full wheel cover
RM7	Summer tyres

Engines, transmission and drive system

MU5	Engine OM 654 DE 20 LA 125 kW (170 hp)
GD8	6-speed ECO Gear manual transmission
A50	Front axle with upgraded axle load

AR2	Axle ratio i = 3,923 CB7 Stabilisation level I
CW2	Deletion, vehicle lowering
Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
XG4	Weight variant 3.550 kg
MD5	Linear speed limiter 100 km/h EG
K13	Main tank 71 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
M60	Alternator 14 V / 250 A
MR0	Emissions standard E (heavy-duty comm. vehicles)

Exterior

Q11	Longitudinal member reinforcement
P47	Front mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
JK5	Instrument cluster with colour display

Infotainment

ER0	Basic fittings f. radio
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz emergency call system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
L10	Illumination for traffic driving on left
L94	Omission parking lamp
LA2	Headlight assistant
LB2	Preparation for side marker lights
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator

J92	Omission tachograph
M72	Vehicle HVO-capable
MJ8	ECO start/stop function
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

805	CY X4/1
XJ4 *	Change year G4-I IG5 Basic
IG5	Basic
X42	Plates / booklets english
XO2	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4W	Production in Ludwigsfelde

Technical Data

Dimensions and weights

Type	
Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1344 kg
Rear axle (empty)	573 kg
Kerb weight (incl. SA)	1907 kg

Maximum permissible weight:

Front axle	1860 kg
Rear axle	2250 kg
Payload	1643 kg
Gross vehicle weight	3550 kg
Gross combination weight	5550 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU5
Displacement	1950 cm3
Engine output	125 kW / 170 PS
Power/engine torque in Nm at 1400 rpm	380 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.

Sprinter Panel Van Base

516 CDI Long RWD



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel van Base 516 CDI Long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Base 516 CDI Long Inkanyezi
Drive:	RWD
Engine Power (kwh):	115 kW (156 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	5000 kg
Steering:	Right

Equipment list

Paint

MB 9147: Arctic white

Lines, packages and variants:

Z2K BASE

Rims

RS6 Steel wheels 5.5 J x 16

Tyres

RG3 Tyres 205/75 R 16 C

RD9 Tyres without name of make

R65 Spare wheel bracket below frame end

R87 Spare wheel

RM7 Summer tyres

Engines, transmission and drive system

M15 Fuel/water separator and lubrication package

M5R Engine OM 654 DE 20 LA 115 KW (156 hp)

GD8 6-speed ECO Gear manual transmission

A50 Front axle with upgraded axle load

AR5 Axle ratio $i = 4,727$

CB7 Stabilisation level I

Z1U Body-in-white measures for ECE rollover test

Z74 Bodyshell, additional measures 2

X5G Without load uprating/derating 5000 kg

MD5 Linear speed limiter 100 km/h EG

KB7 Main tank, 93 litres

M60 Alternator 14 V / 250 A

MS3 Engine version Euro III

Exterior

D03 High roof

H21 Heat-insulating glass w.band filter on windscreen

T01 l. c.s.d.for BB conversion pass. behind B-pillar

T19 Sliding door left

Q11 Longitudinal member reinforcement

P47 Front mud flaps

P48 Rear mud flaps

X93* Deletion model number

Interior

S02 Driver's seat

S23 Co-driver's seat double seat

FF5 Shelf above windscreen

FJ4 Stowage compartment underneath cockpit

D93 Omission partition

F61 Rear mirror inside

JK5 Instrument cluster with colour display

V93 Omission wooden floor

Infotainment

ER0 Basic fittings f. radio

EW6 Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz emergency call system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
L10	Illumination for traffic driving on left
L21	Reversing light, bottom
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant
LB1	Side marker lights
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module

ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

805	CY X4/1	heavy-duty battery
XJ4*		Change year G4-I
IG5		Basic
X42		Plates / booklets english
XO2		Special approval for use of high-grade fuel
XZ1		Model generation 1
Z07		National version for South Africa
Z2N		Qualification N2
Z44		Registration of vehicle not possible in EU
Z4V		Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1339 kg
Rear axle (empty)	1217 kg
Kerb weight (incl. SA)	2556 kg

Maximum permissible weight:

Front axle	2000 kg
Rear axle	3500 kg
Payload	2444 kg
Gross vehicle weight	5000 kg
Gross combination weight	7000 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	M5R
Displacement	0 cm ³
Engine output	115 kW / 156 PS
Power/engine torque in Nm at 1400 rpm	0 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.

Sprinter Panel Van Base

317 CDI Standard RWD
Special Model



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Base 317 CDI Standard

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Base 317 CDI Standard
Drive:	RWD
Engine Power (kwh)	125 kW (170 PS)
Wheelbase:	3665 mm
Gross Vehicle Weight:	3550 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Equipment

Lines, packages and variants:

Z2K	BASE
-----	------

Upholstery

VF7	Fabric Maturin black
-----	----------------------

Rims

RS3	Steel wheels 6.5 J x 16
-----	-------------------------

Tyres

RH2	Tyres 235/65 R16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RD8	Full wheel cover
RM7	Summer tyres

Engines, transmission and drive system

MU5	Engine OM 654 DE 20 LA 125 kW (170 hp)
GD8	6-speed ECO Gear manual transmission
A50	Front axle with upgraded axle load
AR2	Axle ratio i = 3,923

C47	Shock absorbers reinforced
CW2	Deletion, vehicle lowering
Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
XG4	Weight variant 3.550 kg
MD5	Linear speed limiter 100 km/h EG
K13	Main tank 71 litres
KL5	Fuel filter with water separator
KP7	Fuel filter with water separator
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)

Exterior

T19	Sliding door left
Q11	Longitudinal member reinforcement
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
D50	Full-length partition
JK5	Instrument cluster with colour display
T01	l.c.s.d.for BB conversion pass. behind B-pillar
T77	Grab handle,at load comp. sliding door on partition

Infotainment

ER0	Basic fittings f. radio
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
L10	Illumination for traffic driving on left
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Side marker lights
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
E30	Battery main switch single-pole
E57	Electrical components for trailer socket

ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MI8	ECO start/stop function
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XX4*	Change year G4-I
IG5	Basic
X42	Plates / booklets english
X02	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4W	Production in Ludwigsfelde

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	3665 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1304 kg
Rear axle (empty)	889 kg
Kerb weight (incl. SA)	2193 kg

Maximum permissible weight:

Front axle	1860 kg
Rear axle	2250 kg
Payload	1357 kg
Gross vehicle weight	3550 kg
Gross combination weight	5550 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU5
Displacement	1950 cm ³
Engine output	125 kW / 170 PS
Power/engine torque in Nm at 1400 rpm	380 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.

Sprinter Panel Van Base

317 CDI Long RWD
Special Model



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Base 317 CDI long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Base 317 CDI Long
Drive:	RWD
Engine Power (kwh)	125 kW (170 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	3550 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z2K	BASE
-----	------

Upholstery

VF7	Fabric Maturin black
-----	----------------------

Rims

RS3	Steel wheels 6.5 J x 16
-----	-------------------------

Tyres

RH2	Tyres 235/65 R16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RD8	Full wheel cover
RM7	Summer tyres

Engines, transmission and drive system

MU5	Engine OM 654 DE 20 LA 125 kW (170 hp)
GD8	6-speed ECO Gear manual transmission
A50	Front axle with upgraded axle load
AR2	Axle ratio i = 3,923
CB7	Stabilisation level I
CW2	Deletion, vehicle lowering

Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
XG4	Weight variant 3.550 kg
MD5	Linear speed limiter 100 km/h EG
K13	Main tank 71 litres
KL5	Fuel filter with water separator
KP7	Fuel filter with water separator
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)

Exterior

D03	High roof
T19	Sliding door left
Q11	Longitudinal member reinforcement
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
D50	Full-length partition
JK5	Instrument cluster with colour display
T01	I.c.s.d.for BB conversion pass. behind B-pillar
T75	Grab handles for driver's and co-driver's doors

Infotainment

ER0	Basic fittings f. radio
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
L10	Illumination for traffic driving on left
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Side marker lights
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E30	Battery main switch single-pole

E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MI8	ECO start/stop function
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XX4*	Change year G4-I
IG5	Basic
X42	Plates / booklets english
X02	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4W	Production in Ludwigsfelde

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1360 kg
Rear axle (empty)	1025 kg
Kerb weight (incl. SA)	2385 kg

Maximum permissible weight:

Front axle	1860 kg
Rear axle	2250 kg
Payload	1165 kg
Gross vehicle weight	3550 kg
Gross combination weight	5550 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU5
Displacement	1950 cm3
Engine output	125 kW / 170 PS
Power/engine torque in Nm at 1400 rpm	380 Nm

Gearbox

Code	GD8
Short text	6-speed ECO Gear manual transmission

Technical Data


Technical illustration




Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %



Dimensions are subject to a tolerance of +/- 3 %.



Dimensions are subject to a tolerance of +/- 3 %.

Sprinter Chassis Pro

319 CDI Long AWD
Special Model



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van 319 CDI

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Chassis Pro 319 CDI Long AWD
Drive:	AWD
Engine Power (kwh)	140 kW (190 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	3550 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Equipment

Lines, packages and variants:

Z3K	PRO
-----	-----

Packages

X96	Obligation: commissioning by BB
-----	---------------------------------

Upholstery

VF7	Fabric Maturin black
-----	----------------------

Rims

RS3	Steel wheels 6.5 J x 16
-----	-------------------------

Tyres

RG8	Tyres 225/75 R16 C
RF1	Make of tyres Continental (10)
RM9	Make of tyres as optional extra
R65	Spare wheel bracket below frame end
R87	Spare wheel
RD8	Full wheel cover
RM7	Summer tyres

Engines, transmission and drive system

MU6	Engine OM 654 DE 20 LA 140 kW (190 hp)
-----	--

G43	9G-TRONIC
A4M	4x4 all-wheel drive with torque-on-demand
AR2	Axle ratio i = 3,923
BH1	HOLD function
Z74	Bodyshell, additional measures 2
Z75	Bodyshell, additional measures
XG4	Weight variant 3.550 kg
MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)

Exterior

H21	Heat-insulating glass w.band filter on windscreen
Q11	Longitudinal member reinforcement
Q67	Towing eye rear
P47	Front mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
HH9	Air con., semi-autom. controlled, TEMPMATIC
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
CL1	Height and rake adjustable steering wheel
JK5	Instrument cluster with colour display

T75	Grab handles for driver's and co-driver's doors
Infotainment	
E10	MB Audio system
EW6	Pre-installation: Remote Services Plus
Connectivity Solutions	
EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services
Safety and technology	
BA3	Active Brake Assist
FU5	Exterior mirrors without indicators
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
L10	Illumination for traffic driving on left
L44	Flashing lights, front left
L94	Omission parking lamp
LA2	Headlight assistant
LB2	Preparation for side marker lights
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit

Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MI9	omission of eco start/stop function
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
805	CY X4/1
XX4*	Change year G4-I
IG5	Basic
X42	Plates / booklets english
XO2	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2

Z44	Registration of vehicle not possible in EU
Z4W	Production in Ludwigsfelde

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1482 kg
Rear axle (empty)	631 kg
Kerb weight (incl. SA)	2113 kg

Maximum permissible weight:

Front axle	1860 kg
Rear axle	2250 kg
Payload	1437 kg
Gross vehicle weight	3550 kg
Gross combination weight	5550 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU6
Displacement	1950 cm3
Engine output	140 kW / 190 PS

Power/engine torque in Nm at 1400 rpm	450 Nm
---------------------------------------	--------

Gearbox

Code	G43
Short text	9G-TRONIC

Technical Data


Technical illustration



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.

Sprinter Panel Van Pro

519 CDI Long AWD
Special Model



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Pro 519 CDI Long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel Van Pro 519 CDI Long
Drive:	AWD
Engine Power (kwh)	140 kW (190 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	5500 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Lines, packages and variants:

Z3K	PRO
-----	-----

Upholstery

VF7	Fabric Maturin black
-----	----------------------

Rims

RS6	Steel wheels 5.5 J x 16
-----	-------------------------

Tyres

RG3	Tyres 205/75 R 16 C
RF1	Make of tyres Continental (10)
RM9	Make of tyres as optional extra
R65	Spare wheel bracket below frame end
R87	Spare wheel
RM7	Summer tyres

Engines, transmission and drive system

MU6	Engine OM 654 DE 20 LA 140 kW (190 hp)
G43	9G-TRONIC
A4M	4x4 all-wheel drive with torque-on-demand
AR5	Axle ratio i = 4,727
BH1	HOLD function
Z1U	Body-in-white measures for ECE rollover test

Z74	Bodyshell, additional measures 2
XL4	Weight variant 5.500 kg
MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)
XM1	Noise reduction

Exterior

D03	High roof
H21	Heat-insulating glass w.band filter on windscreen
T19	Sliding door left
Q11	Longitudinal member reinforcement
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
HH9	Air con., semi-autom. controlled, TEMPMATIC
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit
CL1	Height and rake adjustable steering wheel
D50	Full-length partition
JK5	Instrument cluster with colour display

T01	I.c.s.d.for BB conversion pass. behind B-pillar
T75	Grab handles for driver's and co-driver's doors
T77	Grab handle,at load comp.sliding door on partition
T85	Entrance handle on LH rear corner pillar

Infotainment

E10	MB Audio system
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz Audio system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
FU5	Exterior mirrors without indicators
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
JY9	Omission of Lane Keeping Assist
L10	Illumination for traffic driving on left
L22	Partial LED tail lights
L44	Flashing lights, front left
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant

LB1	Side marker lights
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
M18	ECO start/stop function
Y26	Chock
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code

055	CY X4/2
-----	---------

805	CY X4/1
XX4*	Change year G4-I
IG5	Basic
X42	Plates / booklets english
X02	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	AWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1556 kg
Rear axle (empty)	1257 kg
Kerb weight (incl. SA)	2813 kg

Maximum permissible weight:

Front axle	2100 kg
Rear axle	3600 kg
Payload	2687 kg
Gross vehicle weight	5500 kg

Gross combination weight	7000 kg
--------------------------	---------

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU6
Displacement	1950 cm3
Engine output	140 kW / 190 PS
Power/engine torque in Nm at 1400 rpm	450 Nm

Gearbox

Code	G43
Short text	9G-TRONIC

Technical Data


Technical illustration




Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.

Sprinter Panel Van Pro

519 CDI Long RWD
Special Model



This picture can differ from your individual vehicle configuration. It is therefore not binding and might be subject to change!

Sprinter Panel Van Pro 519 CDI Long

Model:	Mercedes-Benz Sprinter (907)
Vehicle Type:	Sprinter Panel van Pro 519 CDI Long
Drive:	RWD
Engine Power (kwh)	140 kW (190 PS)
Wheelbase:	4325 mm
Gross Vehicle Weight:	5000 kg
Steering:	Right

Equipment list

Paint

MB 9147	Arctic white
---------	--------------

Equipment

Lines, packages and variants:

Z3K	Pro
-----	-----

Upholstery

VF7	Fabric Maturin black
-----	----------------------

Rims

RS3	Steel wheels 5.5 J x 16
-----	-------------------------

Tyres

RG3	Tyres 205/75 R 16 C
RD9	Tyres without name of make
R65	Spare wheel bracket below frame end
R87	Spare wheel
RM7	Summer tyres

Engines, transmission and drive system

MU6	Engine OM 654 DE 20 LA 140 kW (190 hp)
G43	9G-TRONIC
A50	Front axle with upgraded axle load
AR5	Axle ratio i = 4,727
BH1	HOLD function

CB7	Stabilisation level I
Z1U	Body-in-white measures for ECE rollover test
Z74	Bodyshell, additional measures 2
X5G	Without load uprating/derating 5000 kg
MD5	Linear speed limiter 100 km/h EG
KB7	Main tank, 93 litres
KL5	Fuel filter with water separator
KP7	4th generation SCR emission control system
M60	Alternator 14 V / 250 A
MP6	Engine version Euro VI
MR0	Emissions standard E (heavy-duty comm. vehicles)
XM1	Noise reduction

Exterior

D03	High roof
H21	Heat-insulating glass w.band filter on windscreen
T19	Sliding door left
Q11	Longitudinal member reinforcement
P47	Front mud flaps
P48	Rear mud flaps

Interior

S02	Driver's seat
S23	Co-driver's seat double seat
HH9	Air con., semi-autom. controlled, TEMPMATIC
FF5	Shelf above windscreen
FJ4	Stowage compartment underneath cockpit

CL1	Height and rake adjustable steering wheel
D50	Full-length partition
JK5	Instrument cluster with colour display
T75	Grab handles for driver's and co-driver's doors
T77	Grab handle, at load comp. sliding door on partition
T85	Entrance handle on LH rear corner pillar

Infotainment

E10	Mercedes-Benz Audio system
EW6	Pre-installation: Remote Services Plus

Connectivity Solutions

EY5	Mercedes-Benz emergency call system
EY6	Breakdown management
JH3	Communication module (LTE) for digital services

Safety and technology

BA3	Active Brake Assist
J55	Seat belt reminder for co-driver seat
J58	Seat belt warning for driver's seat
JA8	Crosswind Assist
JF1	Rain sensor
JY9	Omission of Lane Keeping Assist
L10	Illumination for traffic driving on left
L13	Fog lamps with cornering light function
L21	Reversing light, bottom
L65	Interior light(s), load/pass. comp. wi. door cont.
L94	Omission parking lamp
LA2	Headlight assistant

LB1	Side marker lights
LB5	3rd brake light
LE1	Adaptive brake light
MS1	Cruise control
SA5	Airbag, front driver's seat
SA6	Airbag, co-driver
Y10	First aid kit
Y44	Warning triangle
C6L	Multifunction steering wheel
E07	Hill-Start Assist
E1U	USB socket, 5 V
E30	Battery main switch single-pole
E57	Electrical components for trailer socket
ED5	Parameterizable special module
ES0	Starting aid contact
J10	Speedometer, km/h
J65	Temperature indicator
J92	Omission tachograph
M72	Vehicle HVO-capable
MJ8	ECO start/stop function
Y26	Chock
Y43	Hydraulic Jack

High-voltage battery and charging

ED4	heavy-duty battery
-----	--------------------

Control code	
055	CY X4/2
805	CY X4/1
XX4*	Change year G4-II
IG5	Basic
X42	Plates / booklets english
X02	Special approval for use of high-grade fuel
XZ1	Model generation 1
Z07	National version for South Africa
Z2N	Qualification N2
Z44	Registration of vehicle not possible in EU
Z4V	Production in Düsseldorf

Technical Data

Dimensions and weights

Type

Drivetrain	RWD
Wheelbase	4325 mm

Weights

Chassis/kerb weight:	
Front axle (empty)	1449 kg
Rear axle (empty)	1225 kg
Kerb weight (incl. SA)	2674 kg

Maximum permissible weight:

Front axle	2000 kg
Rear axle	3500 kg

Payload	2326 kg
Gross vehicle weight	5000kg
Gross combination weight	7000 kg

Kerb weights with driver (75 kg) and 90% of tankful.

Engine

Code	MU6
Displacement	1950 cm3
Engine output	140 kW / 190 PS
Power/engine torque in Nm at 1400 rpm	450 Nm

Gearbox

Code	G43
Short text	9G-TRONIC

Technical Data


Technical illustration




Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.



Dimensions are subject to a tolerance of $\pm 3\%$.

Please note: Changes may have been made to the product since this brochure was published (28.08.2024). The manufacturer reserves the right to make changes to the design, form, colour and specification of any Mercedes-Benz vehicle. Please ensure to query with the Mercedes-Benz dealership in respect of any change to design, form, colour and specification (as set out in this brochure) relating to the vehicle prior to purchase. Certain vehicle specifications including but not limited to, features / equipment / colours / accessories displayed may differ from standard South African specifications and may therefore not be available to the South African purchaser. Prices and availability are subject to change without prior notice. Any accessories and/or optional extras shown are subject to availability and compatibility and may be subject to an extra monetary cost. Vehicle specifications may be affected by availability at the time of production and are therefore not guaranteed. Images are for illustration purposes only. Colours may differ from those shown in the brochure, owing to the limitations of the electronic process.

www.mercedes-benz.co.za/vans

Vehicle specifications and prices subject to change without prior notice.

Mercedes-Benz South Africa